

Byte and Packet Congestion Notification

[draft-ietf-tsvwg-byte-pkt-congest-02.txt](#)

Bob Briscoe, BT
IETF-78 tsvwg Jul 2010



This work is partly funded by Trilogy, a research project supported by the European Community www.trilogy-project.org



Byte and Packet Congestion Notification

- **updated wg draft:** draft-ietf-tsvwg-byte-pkt-congest-02.txt 12 Jul 2010
- **intended status:** informational
- **updates:** 2309 (if approved)
- **immediate intent:** WG review then WG last call
- **w-gs & r-gs affected:** TSVWG, PCN, DCCP, ICCRG
- **milestone:** Feb 2010 (needs slipping)

reminder (exec summary)

- question: in any AQM (e.g. RED drop, RED ECN, PCN) should we allow for packet-size when network writes or when transport reads a loss or mark?
- propose AQM SHOULD NOT give smaller packets preferential treatment
- adjust for byte-size of packets when transport reads NOT when network writes

status

- had reached WG consensus on technical message
- reorganised and focused text on message, as requested by w-g (due to new co-author Jukka Manner)
- message no different, just readable.

next steps

- WG review: Is it clearer now?
- If so, one more rev to pick up review comments, then WG last call?

Byte and Packet Congestion Notification

[draft-ietf-tsvwg-byte-pkt-congest-02.txt](#)

Q&A

